

*високоглянцеве покриття
*high gloss coating



*доступно в онлайн-конфігураторі
*available in the online configurator



*білий глянець доступний на складі
*white gloss available in stock



*під замовлення по палітрі Ral
*to order according to the Ral palette



*колекція без ручок
*furniture without handles



*фурнітура з до тягом
*furniture with soft closing



ФАСАД МІЛЕНІУМ МДФ

- Колірна гама: Глянець Білий Високий (багатшарове лаковане покриття, висушене під ультрафіолетовими променями) завжди доступний на складі;
 - Палітра кольорів RAL (багатшарове ручне лакофарбове покриття) під замовлення;
 - Типи покриття: Глянець, Мат;
 - Матеріал: Плита ламінована МДФ 18мм (Kronospan, Swisskrono, Swisspan).
- ПЕРЕВАГИ
- ✓ Широка палітра вибору кольорів (понад 200 кольорів);
 - ✓ Білий Глянець Високий – складська позиція;
 - ✓ Колекція з фрезерованою ручкою.

КОРПУСА КУХОННІ STANDART

- Колірна гама:Білий Німфея альба U8681SM; Дуб Крафт золотий; Антрацит;
 - Матеріал: Плита ламінована ДСП 16мм (Kronospan, Swisskrono, Swisspan);
 - Крайка: ПВХ 0,6мм, меламінова (невидимі сторони);
 - Задня стінка: ХДФ біла 2,5мм.
- ФУРНІТУРА
- Трьохскладові шарикові телескопічні направляючі з плавним закриттям (400мм) ;
 - Петля з плавним закриттям швидкого монтажу (свердловка 45/9,5) ;
 - Регулюючі ніжки (100мм) ;
 - Посилений підвіс з заглушкою в комплекті (максимальне навантаження до 100кг) з виликим діапазоном регулювання;
 - Горизонтальні секції комплектуються газліфтами та амортизатором для безшумного закривання ;
 - З'єднання деталей за допомогою шкантив та конфірматів.

- ПЕРЕВАГИ
- ✓ Задня стінка кріпиться в паз і фіксується пластмасовими кутиками та шурупами 4,2х19;
 - ✓ Можливість регулювання висоти полицок у трьох позиціях;
 - ✓ Відсутність на фасаді отворів під ручку;
 - ✓ Розширений перелік модулів, а саме: додано верхні секції висотою 450мм, пенал для зберігання запасів та пенали висотою 1420, кути двохдверні, введено секції обманки;
 - ✓ Широкий перелік опційних пропозицій, таких як: органайзери для приборів, карнизи, металеві ніжки, міжсекційні стяжки, ущільнювач силіконовий для цоколя який захищає від вологи;
 - ✓ Можливість комплектувати дані кухонні корпуси фасадами під замовлення, у розширеному виборі типів покриття (софт-тач, перламутр) та моделей фасадів (понад 10);
 - ✓ Доступно в онлайн-конфігураторі;
 - ✓ Придбання окремо фасадної та корпусної частини;
 - ✓ Можливість поєднувати корпус Standart та Pro.

УВАГА! Кухні посекційно не комплектуються цокольною планкою, стільницею і ручками, їх потрібно придбати окремо.

КОРПУСА КУХОННІ PRO

- Колірна гама:Білий Німфея альба U8681SM; Дуб Крафт золотий; Антрацит;
 - Матеріал: Плита ламінована ДСП 16мм (Kronospan, Swisskrono, Swisspan);
 - Крайка: ПВХ 0.6мм, меламінова (невидимі сторони);
 - Задня стінка: ХДФ біла 2,5мм.
- ФУРНІТУРА
- Висувні ящики з металевими боковинами Atira – Hettch з навантаженням до 30кг;
 - Петля підвищеної міцності з плавним закриттям швидкого монтажу – Blum (свердловка 45/9,5) ;
 - Горизонтальні секції комплектуються підйомними механізмами – Aventos Blum;
 - Посилене хромоване карго з плавним закриттям; – REJS .
 - Хромовані сушки – REJS .
 - Регулюючі ніжки (100мм);
 - Посилений підвіс з заглушкою в комплекті (максимальне навантаження до 100кг) з виликим діапазоном регулювання ;
 - З'єднання деталей за допомогою шкантив та конфірматів.

- ПЕРЕВАГИ
- ✓ Задня стінка кріпиться в паз і фіксується пластмасовими кутиками та шурупами 4,2х19;
 - ✓ Можливість регулювання висоти полицок у трьох позиціях;
 - ✓ Відсутність на фасаді отворів під ручку;
 - ✓ Розширений перелік модулів, а саме: додано верхні секції висотою 450мм, пенали висотою 1420, кути двохдверні, введено секції обманки;
 - ✓ Широкий перелік опційних пропозицій, таких як: органайзери для приборів, карнизи, металеві ніжки, міжсекційні стяжки, ущільнювач силіконовий для цоколя який захищає від вологи;
 - ✓ Можливість комплектувати дані кухонні корпуси фасадами під замовлення, у розширеному виборі типів покриття (софт-тач, перламутр) та моделей фасадів (понад 10);
 - ✓ Доступно в онлайн-конфігураторі.
 - ✓ Придбання окремо фасадної та корпусної частини;
 - ✓ Можливість поєднувати корпус Standart та Pro.

УВАГА! Кухні посекційно не комплектуються цокольною планкою і ручками, їх потрібно придбати окремо.

MILLENNIUM FACADE MDF

- Color range: White High Gloss (multi-layer coating dried under ultraviolet rays), RAL color palette (multi-layer manual paint coating);
 - Coating types: Gloss, Matt;
 - Material: MDF laminated board 18 mm (Kronospan, Swisskrono, Swisspan).
- ADVANTAGES
- ✓ Wide palette of color selection (over 200 colors);
 - ✓ White Gloss - warehouse position;
 - ✓ Collection without handles.

KITCHEN CASES STANDARD

- Color range: White Nymphaea Alba U8681SM; Oak Craft Gold, Anthracite;
 - Material: laminated chipboard 16mm (Kronospan, Swisskrono, Swisspan);
 - Edge: PVC 0.6 mm, melamine (invisible sides);
 - Back wall: HDF 2.5mm, White
- HARDWARE
- Three-component bearing reinforced telescopic full extension slides ;
 - Reinforced soft closing hinges Clip on (drilling 45/9.5) ;
 - Adjusting legs (100 mm) ;
 - Reinforced adjustable suspension with mounting plate and cover included in set (maximum load up to 100 kg) with a large adjustment range ;
 - Horizontal sections are equipped with a gas lift mechanism and shock absorber for silent closing ;
 - Elements connection by the dowels and confirmat screws.

- ADVANTAGES
- ✓ The back wall is mounted in the groove and fixed with plastic corners and screws 4,2X19;
 - ✓ The possibility of adjusting the height of the shelves in sections in three positions;
 - ✓ There are no handle bores on the facade;
 - ✓ An expanded list of modules, namely: added upper sections with a height of 450 mm, a pencil case for storing and pencil cases with a height of 1420, two-door corners, and a cheat-section is provided;
 - ✓ A wide list of optional offers, such as: cutlery organizers, cornices, metal legs, cross-section ties, silicone sealant for the plinth that protects against moisture;
 - ✓ The possibility of equipping these kitchen cases with facades under the order, in an expanded selection of coating types (soft-touch, pearly) and facade models (more than 10);
 - ✓ Available in the online configurator;
 - ✓ Separate purchase of facade and case parts;
 - ✓ It is possible to combine the Standart and Pro case.
- ATTENTION!** Sectional kitchens are not equipped with a plinth, countertop and handles, they must be purchased separately.


KITCHEN CASES PRO

- Color range: White Nymphaea Alba U8681SM; Oak Craft Gold, Anthracite;
 - Material: laminated chipboard 16mm (Kronospan, Swisskrono, Swisspan);
 - Edge: PVC 0.6 mm, melamine (invisible sides);
 - Back wall: HDF 2.5mm, White
- HARDWARE
- Drawers with metal sides of Atira - Hettich with a load of up to 30 kg ;
 - Reinforced hinge with soft closing Clip on - Blum (drilling bores 45/9.5);
 - Horizontal sections are equipped with lifting mechanisms - Aventos Blum ;
 - Reinforced chrome cargo with soft closing; – REJS .
 - Chrome dryers - REJS .
 - Adjusting legs (100 mm) ;
 - Reinforced suspension with plug in the set (maximum load up to 100 kg) with a wide range of adjustment;
 - Elements connection by the dowels and confirmat screws.

- ADVANTAGES
- ✓ The back wall is mounted in the groove and fixed with plastic corners and screws 4,2X19 where there are no nails;
 - ✓ The possibility of adjusting the height of the shelves in sections in three positions;
 - ✓ There are no handle bores on the facade;
 - ✓ An expanded list of modules, namely: added upper sections with a height of 450 mm, a pencil case for storing and pencil cases with a height of 1420, two-door corners, and a cheat-section is provided;
 - ✓ A wide list of optional offers, such as: cutlery organizers, cornices, metal legs, cross-section ties, silicone sealant for the plinth that protects against moisture;
 - ✓ The possibility of equipping these kitchen cases with facades under the order, in an expanded selection of coating types (soft-touch, pearly) and facade models (more than 10);
 - ✓ Available in the online configurator;
 - ✓ Separate purchase of facade and case parts;
 - ✓ It is possible to combine the Standart and Pro case.
- ATTENTION!** Sectional kitchens are not equipped with a plinth, countertop and handles, they must be purchased separately.

Глибина/carcase DEPTH: 520 MM
Висота/carcase HEIGHT: 820 MM

НИЖНІ СЕКЦІЇ/ LOWER SECTIONS



FACADES


196/296/396/
446/496/596

715

X_{CM}

ML-020 20 UR
ML-030 30 UR
ML-040 40 UR
ML-043 45 UR
ML-050 50 UR
ML-060 60 UR

HINGES
WITH SOFT CLOSING



FACADES

196/296/396/
446/496/596


715

X_{CM}

ML-023 20 UR
ML-033 30 UR
ML-045 40 UR
ML-046 45 UR
ML-051 50 UR
ML-070 60 UR

CLIP
TOP ALLOCATION
WITH SOFT CLOSING

PRO
FURNITURE



FACADES


296/396 296/396

715

X_{CM}

ML-061 60
ML-080 80

HINGES
WITH SOFT CLOSING



FACADES

296/396 296/396


715

X_{CM}

ML-071 60
ML-086 80

CLIP
TOP ALLOCATION
WITH SOFT CLOSING

PRO
FURNITURE



FACADES


296/396 296/396

715

X_{CM}

ML-068 60
ML-085 80

HINGES
WITH SOFT CLOSING



FACADES

296/396 296/396

715

X_{CM}

ML-072 60
ML-087 80

CLIP
TOP ALLOCATION
WITH SOFT CLOSING

PRO
FURNITURE



FACADES

296/396 296/396


715

X_{CM}

ML-072 60
ML-087 80

CLIP
TOP ALLOCATION
WITH SOFT CLOSING

PRO
FURNITURE



FACADES

296/396 296/396

715

X_{CM}

ML-065 60

TELESCOPIC
WITH SOFT CLOSING

НИЖНІ СЕКЦІЇ/ LOWER SECTIONS



FACADES


196/296/396/
446/496/596

715

X_{CM}

ML-020 20 UR
ML-030 30 UR
ML-040 40 UR
ML-043 45 UR
ML-050 50 UR
ML-060 60 UR

HINGES
WITH SOFT CLOSING



FACADES


296/396 296/396

715

X_{CM}

ML-061 60
ML-080 80

HINGES
WITH SOFT CLOSING



FACADES

296/396 296/396


715

X_{CM}

ML-071 60
ML-086 80

CLIP
TOP ALLOCATION
WITH SOFT CLOSING

PRO
FURNITURE



FACADES


296/396 296/396

715

X_{CM}

ML-068 60
ML-085 80

HINGES
WITH SOFT CLOSING



FACADES

296/396 296/396

715

X_{CM}

ML-072 60
ML-087 80

CLIP
TOP ALLOCATION
WITH SOFT CLOSING

PRO
FURNITURE



FACADES

296/396 296/396

715

X_{CM}

ML-072 60
ML-087 80

CLIP
TOP ALLOCATION
WITH SOFT CLOSING

PRO
FURNITURE



FACADES

296/396 296/396

715







X_{CM}

ML-065 60

TELESCOPIC
WITH SOFT CLOSING









Глибина/carcase DEPTH: 520 MM
Висота/carcase HEIGHT: 820 MM

НИЖНІ СЕКЦІЇ/ LOWER SECTIONS




















Глибина/carcase DEPTH: 580 MM
Висота/carcase HEIGHT: 2320 MM

ПЕНАЛИ/TALL UNITS




ГЛИБИНА/cARcase DEPTH: 580 MM
ВИСОТА/cARcase HEIGHT: 2140 MM

ПЕНАЛИ/TALL UNITS					ПЕНАЛИ/TALL UNITS				
			ML740 40 L/R					ML765 60 L/R	
			ML741 40 L/R					ML766 60 L/R	
			ML760 60 L/R					ML766 60 L/R	
			ML764 60 L/R					ML763 60 L/R	
			ML761 60 L/R					ML767 60 L/R	



ГЛИБИНА/CARCASE DEPTH: 350 MM
ВИСОТА/CARCASE HEIGHT: 900 MM


ВЕРХНІ СЕКЦІЇ/ UPPER SECTIONS



FACADES

ML520 20 L/R
ML530 30 L/R
ML540 40 L/R
ML54L 45 L/R


HINGES
WITH SOFT CLOSING



FACADES

ML550 50 L/R
ML560 60 L/R

HINGES
WITH SOFT CLOSING




FACADES

ML52L 20 L/R
ML533 30 L/R
ML542 40 L/R
ML543 45 L/R

CLIP
TOP ALIGNMENT
WITH SOFT CLOSING

PRO
FURNITURE




FACADES

ML55L 50 L/R
ML566 60 L/R

CLIP
TOP ALIGNMENT
WITH SOFT CLOSING


PRO
FURNITURE



FACADES

ML56L 60
ML580 80

HINGES
WITH SOFT CLOSING




FACADES

ML567 60
ML585 80

CLIP
TOP ALIGNMENT
WITH SOFT CLOSING

PRO
FURNITURE




FACADES

ML570 60 L/R

DRYEER

HINGES
WITH SOFT CLOSING



FACADES


ML579 60 L/R

DRYEER

CLIP
TOP ALIGNMENT
WITH SOFT CLOSING

PRO
FURNITURE

ВЕРХНІ СЕКЦІЇ/ UPPER SECTIONS




FACADES

ML564 60
ML583 80

DRYEER

HINGES
WITH SOFT CLOSING

PRO
REJS




FACADES

ML565 60
ML584 80

DRYEER

HINGES
WITH SOFT CLOSING




FACADES

ML565 60
ML584 80

DRYEER

CLIP
TOP ALIGNMENT
WITH SOFT CLOSING

PRO
FURNITURE



FACADES


ML574 60
ML588 80

DRYEER

CLIP
TOP ALIGNMENT
WITH SOFT CLOSING

AVENTOS
HF

PRO
FURNITURE




FACADES

ML562 60
ML58L 80

GASLIFT

HINGES
WITH SOFT CLOSING



FACADES

ML563 60
ML582 80

AVENTOS
HF



CLIP
TOP ALIGNMENT
WITH SOFT CLOSING

PRO
FURNITURE





Глибина/carcase DEPTH: 350 MM
Висота/carcase HEIGHT: 900 MM

ВЕРХНІ СЕКЦІЇ/ UPPER SECTIONS





Глибина/carcase DEPTH: 350 MM
Висота/carcase HEIGHT: 450 MM

ВЕРХНІ СЕКЦІЇ/ UPPER SECTIONS





Глибина/carcase DEPTH: 350 MM
Висота/carcase HEIGHT: 360 MM

ВЕРХНІ СЕКЦІЇ/ UPPER SECTIONS





Глибина/carcase DEPTH: 350 MM
Висота/carcase HEIGHT: 680 MM

ВЕРХНІ СЕКЦІЇ/ UPPER SECTIONS




Глибина/carcase DEPTH: 350 MM
Висота/carcase HEIGHT: 860 MM

ВЕРХНІ СЕКЦІЇ/ UPPER SECTIONS





Глибина/carcase DEPTH: 350 MM
Висота/carcase HEIGHT: 510 MM

ВЕРХНІ СЕКЦІЇ/ UPPER SECTIONS



Глибина/carcase DEPTH: 350 MM
Висота/carcase HEIGHT: 720 MM

ВЕРХНІ СЕКЦІЇ/ UPPER SECTIONS



Глибина/carcase DEPTH: 350 MM
Висота/carcase HEIGHT: 720 MM

ВЕРХНІ СЕКЦІЇ/ UPPER SECTIONS

Diagram showing a cabinet section with dimensions: 350 (depth), 720 (height), and 296/396 (width). The section is labeled "FACADES" and "HINGES WITH SOFT CLOSING". The width is specified as 296/396 296/396. The height is 715. The depth is 350. The section is labeled "XCM ML461 60 ML480 80".

Diagram showing a cabinet section with dimensions: 350 (depth), 720 (height), and 296/396 (width). The section is labeled "FACADES" and "CLIP TOP SUBSTITUTION WITH SOFT CLOSING". The width is specified as 296/396 296/396. The height is 715. The depth is 350. The section is labeled "XCM ML467 60 ML485 80".

Diagram showing a cabinet section with dimensions: 350 (depth), 720 (height), and 596 (width). The section is labeled "FACADES" and "HINGES WITH SOFT CLOSING". The width is specified as 596. The height is 715. The depth is 350. The section is labeled "CM ML470 60 L/R DRYEER".

Diagram showing a cabinet section with dimensions: 350 (depth), 720 (height), and 596 (width). The section is labeled "FACADES" and "CLIP TOP SUBSTITUTION WITH SOFT CLOSING". The width is specified as 596. The height is 715. The depth is 350. The section is labeled "CM ML479 60 L/R DRYEER".

Diagram showing a cabinet section with dimensions: 350 (depth), 720 (height), and 296/396 (width). The section is labeled "FACADES" and "HINGES WITH SOFT CLOSING". The width is specified as 296/396 296/396. The height is 715. The depth is 350. The section is labeled "XCM ML464 60 ML483 80 DRYEER".

Diagram showing a cabinet section with dimensions: 350 (depth), 720 (height), and 296/396 (width). The section is labeled "FACADES" and "CLIP TOP SUBSTITUTION WITH SOFT CLOSING". The width is specified as 296/396 296/396. The height is 715. The depth is 350. The section is labeled "XCM ML465 60 ML484 80 DRYEER".

Diagram showing a cabinet section with dimensions: 350 (depth), 720 (height), and 596/796 (width). The section is labeled "FACADES" and "CLIP TOP SUBSTITUTION WITH SOFT CLOSING". The width is specified as 596/796. The height is 715. The depth is 350. The section is labeled "XCM ML474 60 ML488 80 DRYEER".

Diagram showing a cabinet section with dimensions: 350 (depth), 720 (height), and 596/796 (width). The section is labeled "FACADES" and "HINGES WITH SOFT CLOSING". The width is specified as 596/796. The height is 715. The depth is 350. The section is labeled "XCM ML462 60 ML481 80 GASLIFT".

Глибина/carcase DEPTH: 350 MM
Висота/carcase HEIGHT: 720 MM

ВЕРХНІ СЕКЦІЇ/ UPPER SECTIONS

Diagram showing a cabinet section with dimensions: 350 (depth), 720 (height), and 596/796 (width). The section is labeled "FACADES" and "CLIP TOP SUBSTITUTION WITH SOFT CLOSING". The width is specified as 596/796. The height is 715. The depth is 350. The section is labeled "XCM ML463 60 ML482 80 AVENTOS HF".

Diagram showing a cabinet section with dimensions: 350 (depth), 720 (height), and 300 (width). The section is labeled "FACADES" and "CLIP TOP SUBSTITUTION WITH SOFT CLOSING". The width is specified as 300. The height is 715. The depth is 350. The section is labeled "CM ML431 30".

Diagram showing a cabinet section with dimensions: 350 (depth), 720 (height), and 50 (width). The section is labeled "FACADES" and "CLIP TOP SUBSTITUTION WITH SOFT CLOSING". The width is specified as 50. The height is 715. The depth is 350. The section is labeled "CM ML405 5".

Глибина/carcase DEPTH: 350 MM
Висота/carcase HEIGHT: 900 MM

ВЕРХНІ СЕКЦІЇ КУТИ/UPPER CORNER SECTIONS

Diagram showing a corner cabinet section with dimensions: 600 (width), 600 (depth), and 895 (height). The section is labeled "FACADES" and "HINGES WITH SOFT CLOSING". The width is specified as 600. The height is 895. The depth is 600. The section is labeled "CM ML595 60 L/R".



Diagram showing a corner cabinet section with dimensions: 600 (width), 600 (depth), and 895 (height). The section is labeled "FACADES" and "CLIP TOP SUBSTITUTION WITH SOFT CLOSING". The width is specified as 600. The height is 895. The depth is 600. The section is labeled "CM ML596 60 L/R".

Diagram showing a corner cabinet section with dimensions: 600 (width), 600 (depth), and 895 (height). The section is labeled "FACADES" and "CLIP TOP SUBSTITUTION WITH SOFT CLOSING". The width is specified as 600. The height is 895. The depth is 600. The section is labeled "CM ML597 60".

Diagram showing a corner cabinet section with dimensions: 600 (width), 600 (depth), and 895 (height). The section is labeled "FACADES" and "CLIP TOP SUBSTITUTION WITH SOFT CLOSING". The width is specified as 600. The height is 895. The depth is 600. The section is labeled "CM ML598 60".







ГЛИБИНА/CARCASE DEPTH: 350 MM
ВИСОТА/CARCASE HEIGHT: 900 MM

ВЕРХНІ СЕКЦІЇ КУТИ/UPPER CORNER SECTIONS









ГЛИБИНА/CARCASE DEPTH: 350 MM
ВИСОТА/CARCASE HEIGHT: 720 MM

ВЕРХНІ СЕКЦІЇ КУТИ/UPPER CORNER SECTIONS





ГЛИБИНА/CARCASE DEPTH: 350 MM
ВИСОТА/CARCASE HEIGHT: 450 MM

ВЕРХНІ СЕКЦІЇ КУТИ/UPPER CORNER SECTIONS







ГЛИБИНА/CARCASE DEPTH: 350 MM
ВИСОТА/CARCASE HEIGHT: 360 MM

ВЕРХНІ СЕКЦІЇ КУТИ/UPPER CORNER SECTIONS






ГЛИБИНА/CARCASE DEPTH: 350 MM
ВИСОТА/CARCASE HEIGHT: 360 MM

ВЕРХНІ СЕКЦІЇ КУТИ/UPPER CORNER SECTIONS











ГЛИБИНА/CARCASE DEPTH: 580 MM
ВИСОТА/CARCASE HEIGHT: 360 MM

АНДРЕСОЛІ/WALL UNITS CABINET



ГЛИБИНА/CARCASE DEPTH: 520 MM
ВИСОТА/CARCASE HEIGHT: 820 MM

НИЖНІ СЕКЦІЇ КУТИ/LOWER CORNER SECTIONS




антресоли
entresols

Кут обманка 90°
використовується для з'єднання
під кут, над верхніми секціями,
антресоли висотою 360 мм та
глибиною 580 мм
The corner cheat-section is used
for angle connection, above the
upper sections, the mezzanine
with a height of 360 mm and a
depth of 580 mm

Кут обманка 90° використовується для з'єднання під кут на нижні секції з одною дверкою шириною 400 мм
The corner cheat-section is used for angle connection for the lower sections with one door with a width of 400 mm


КОМБІНАЦІЯ КУТІВ/OPTIONS OF CORNER COMBINATIONS

ВЕРХНІ СЕКЦІЇ / UPPER SECTIONS




ML- 540/440 492/592 540/440

НИЖНІ СЕКЦІЇ / LOWER SECTIONS




ML- 093 040

ВЕРХНІ СЕКЦІЇ / UPPER SECTIONS




ML- 540/440 492/592 540/440

НИЖНІ СЕКЦІЇ / LOWER SECTIONS




ML- 094

ВЕРХНІ СЕКЦІЇ / UPPER SECTIONS




ML- 540/440 496/596 540/440

НИЖНІ СЕКЦІЇ / LOWER SECTIONS




ML- 098 040

ВЕРХНІ СЕКЦІЇ / UPPER SECTIONS




ML- 540/440 496/596 540/440

НИЖНІ СЕКЦІЇ / LOWER SECTIONS




ML- 093 040



НЕ РЕКОМЕНДУЄТЬСЯ/NOT RECOMMENDED



НЕ СТАВИТИ ТУМБУ З ВИСУВНИМИ ЯЩИКАМИ В КУТКУ
DO NOT PUT CABINET WITH DRAWERS IN THE CORNER







НЕ СТАВИТИ ПОСУДОМЙКУ В КУТКУ
DO NOT PUT DISHWASHER IN THE CORNER




НЕ СТАВИТИ ПЛИТУ БЕЗПОСЕРЕДНЬО БІЛЯ ПЕНАЛА
DO NOT PUT STOVE DIRECTLY NEAR THE HIGH CABINET







ВЕРХНІ ТУМБИ
UPPER SECTIONS





ОРГАНІЗАЦІЯ ПРОСТОРУ НА КУХНІ/ORGANIZATION OF SPACE IN THE KITCHEN





ПАНЕЛИ/UPRIGHT PANELS



ЦОКОЛЬНА ПЛАНКА/BOTTOM PLATE MDF





КАРНИЗИ/CORNICES






ПАЛІТРА СТІЛЬНИЦЬ/AVAILABLE WORKTOP COLORS

12ММ










ПАЛІТРА СТІЛЬНИЦЬ/AVAILABLE WORKTOP COLORS

28ММ






ПАЛІТРА СТІЛЬНИЦЬ/AVAILABLE WORKTOP COLORS

38ММ



ПОСЛУГИ ДЛЯ СТІЛЬНИЦЬ/TYPES WORKTOP



КОЛЬОРИ ФАСАДІВ/MDF FRONT COLORS

MDF

18mm




GLOSS WHITE



RAL 9003



RAL 7036



RAL 7043

КОЛЬОРИ КАРКАСУ/DECORS COLORS

CHIPBOARD


16mm



БІЛИЙ
WHITE




ДУБ КРАФТ
KRAFT OAK




АНТРАЦИТ
ANTHRACITE






ЛОТОК ДЛЯ СТОЛОВИХ ПРИБОРІВ /
CUTLERY TRAY

OF-02 / OF-03
W=340MM / W=540MM




ПОПЕРЕЧНИЙ РЕЙЛІНГ ДЛЯ ATIRA /
CROSS RAIL FOR TANDEMBOX/ATIRA

OF-13 60H 2+3ШХ.(1ШТ.)
OF-21 80H 2ШХ.(1ШТ.)
OF-22 90H 2ШХ.(1ШТ.)





ЗАКІНЧЕННЯ ДЛЯ СТІЛЬНИЦІ
ПРАВЕ / ЛІВЕ /
ENDS FOR THE WORKTOP RIGHT/LEFT

OF-06 L/R (V-ПОДІБНА / V-SHAPE)
OF-07 L/R (V-ПОДІБНА / V-SHAPE)
H=28MM / H=38MM
OF-19 LR
H=38MM




З'ЄДНУВАЛЬНА ПЛАНКА СТІЛЬНИЦІ
R3 ПРЯМИЙ КУТ /
TABLETOP CONNECTING BAR R3,
STRAIGHT ANGLE

OF-04 (V-ПОДІБНА / V-SHAPE) / OF-05 R3
H=28MM / H=38MM
OF-20 (V-ПОДІБНА / V-SHAPE)
H=38MM



УЩІЛЬНЮВАЧ ДЛЯ ЦОКОЛЯ
СИЛІКОНОВИЙ /
SILICONE PLINTH SEAL

OF-11 / OF-12
T=16MM / T=18MM



ЗАГЛУШКА ДЛЯ ЧАШКИ/
BLUM COVER CAP OF CUP FOR
DAMPING

OF-17

ЗАГЛУШКА НА ПЕТЛЮ /
CAP ON THE SHOULDER OF THE
HINGE, WITH AN EMBOSSED
INSCRIPTION (BLUM)

OF-16



РОЗДІЛЮВАЧ ДЛЯ ШУХЛЯДИ/
DIVIDER FOR a DRAWER

OF-25 / **OF-24**
28-44CM 38-54CM



СТЯЖКИ МІЖСЕКЦІЙНІ /
INTERSECTIONAL SCREED

OF-08
16ШТ. / 16PCS.



НІЖКИ / Legs
KP-11
2ШТ. / 2PCS.



КОМПЛЕКТ КРИПЛЕННЯ
ДЛЯ СТІЛЬНИЦІ ЄВРОСТИК /
FASTENING FOR a TABLE-TOP OF
EUROSTIK

OF-18



КРИПЛЕННЯ ДО ЦОКОЛЬНОЇ ПЛАНКИ /
BASE PLINTH WITH FASTENING

OF-09 / **OF-10**
2.0M 2.6M
4ШТ/4PCS. 5ШТ/5PCS.



ЗАГЛУШКА ДЛЯ ОТВОРІВ
ПІД ПОЛИЦІ /
THE COVER FOR SHELVES PORES
OF-23

100ШТ. / 100PCS.